

**Tuberculosis Control In The South-East Asia Region: Annual TB  
Report 2015  
By WHO Regional Office for South-East Asia**



If you are searching for a ebook Tuberculosis Control in the South-East Asia Region: Annual TB Report 2015 by WHO Regional Office for South-East Asia in pdf form, in that case you come on to the right site. We present the full variation of this ebook in ePub, txt, DjVu, PDF, doc forms. You can reading by WHO Regional Office for South-East Asia online Tuberculosis Control in the South-East Asia Region: Annual TB Report 2015 either load. In addition, on our site you can read manuals and another artistic eBooks online, either download them. We will draw on your attention that our website does not store the eBook itself, but we provide link to the website wherever you may download either reading online. If have must to downloading by WHO Regional Office for South-East Asia pdf Tuberculosis Control in the South-East Asia Region: Annual TB Report 2015, then you have come on to the correct site. We own Tuberculosis Control in the South-East Asia Region: Annual TB Report 2015 ePub, PDF, doc, txt, DjVu formats. We will be happy if you revert again and again.

### **The strategic plan for control of tuberculosis in -**

Developing new strategies for TB control in a period of high rates of . Publication of a combined notification and laboratory annual TB report by Office (WPRO) adopted the Regional Strategy to . South East Asia Region ( SEAR). The rates

[https://www.health.gov.au/internet/main/publishing.nsf/content/cda-cdi3603-pdf-cnt.htm/\\$FILE/cdi3603i.pdf](https://www.health.gov.au/internet/main/publishing.nsf/content/cda-cdi3603-pdf-cnt.htm/$FILE/cdi3603i.pdf)

### **Bulletin of the World Health Organization - -**

Bulletin of the World Health Organization Print version ISSN 0042-9686 Tuberculosis control in the South-East Asia Region; the regional report.

[http://www.scielosp.org/scielo.php?pid=S0042-96862010000300004&script=sci\\_arttext](http://www.scielosp.org/scielo.php?pid=S0042-96862010000300004&script=sci_arttext)

### **Contact Investigation of Children Exposed to -**

Nov 14, 2011 Contact Investigation of Children Exposed to Tuberculosis in South East Asia: Tuberculosis Control in the South East Region. Annual Report.

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3235894/>

### **Tuberculosis control in South- East Asia Region: -**

Tuberculosis control in South-East Asia Region: Annual TB report 2013 Regional Office for South-East Asia. by 40% since 1990 and the South-East Asia Region is on track to achieve the global target of a 50% reduction by 2015.

<http://www.who-seajph.org/article.asp?issn=2224-3151;year=2013;volume=2;issue=1;spage=75;epage=76;auiast=>

### **Regional initiatives to address the challenges of -**

Mar 23, 2015 Special Issue: Commemorating World Tuberculosis Day 2015 of tuberculosis in children: perspectives from the Asia-Pacific region . by the European Centre for Disease Control and the Stop TB Partnership. . the South-East Asian and Eastern Mediterranean Regions to share . Global TB Report 2014.

<http://www.sciencedirect.com/science/article/pii/S1201971214017305>

### **Tuberculosis - World Health Organization, South- -**

Tuberculosis pdf, 4.82Mb Press release - Scale up TB control initiatives to reach the missing 38%The proportion of the global burden of TB in the Region Refer to SEAR TB Annual Report 2015 Regional Office for South-East Asia

<http://www.searo.who.int/tb/en/>

### **Full Text - American Journal of Epidemiology - -**

Oct 7, 2013 Model of a tuberculosis (TB) epidemic in Southeast Asia. We fitted annual HIV incidence to the estimated HIV prevalence of the region (23). .. For novel tests to realize their full potential for TB control, they must be deployed South East Asia Regional Office, International Union Against Tuberculosis and

<http://aje.oxfordjournals.org/content/178/12/1740.long>

### **WHO | Global tuberculosis report 2014 -**

Tuberculosis (TB): The global report on tuberculosis provides a and financing TB prevention, care and control at global, regional and country levels the Americas Key Indicators, summary by WHO region (updated 16 July 2015) South-East Asia Region Key Indicators, summary by WHO region (updated 16 July 2015)

[http://www.who.int/tb/publications/global\\_report/en/](http://www.who.int/tb/publications/global_report/en/)

### **Tuberculosis ( TB) in the UK: annual report - -**

Tuberculosis (TB) in the Tuberculosis in the UK The report provides a picture of the occurrence and management of TB in the UK, to inform TB control locally

<https://www.gov.uk/government/publications/tuberculosis-tb-in-the-uk>

### **Americas, South-East Asia and Western Pacific -**

Americas, South-East Asia and Western Pacific regions on track to reach tuberculosis control targets.

<http://www.pubfacts.com/detail/16622972/Americas-South-East-Asia-and-Western-Pacific-regions-on-track-to-reach-tuberculosis-control-targets>

### **Case- control studies: advantages and -**

700 miles south east The purpose of the study was to establish those risk factors associated with the development of pulmonary tuberculosis. A case-control

<http://www.bmj.com/content/348/bmj.f7707>

### **Advocacy and Partnership Officer-Civil Society - -**

a Global Fund Round 9 project designed to extend the reach of India s Revised National TB Control Programme Challenge TB India, The Union South-East Asia

<http://www.theunion.org/vacancies/advocacy-and-partnership-officer-civil-society-challenge-tb-the-union-south-east-asia>

### **Regional Director, The Union South-East Asia -**

Regional Director, The Union South-East Asia a Global Fund Round 9 project designed to extend the reach of India s Revised National TB Control Programme

<http://www.theunion.org/vacancies/regional-director-the-union-south-east-asia-usea-based-in-new-delhi>

### **CAP- TB - South East Asia Research Network -**

The South East Asia Research Network (SEARN), based at the London School of Hygiene & Tropical Medicine, is a platform to facilitate research collaboration, a forum

<http://www.searn.org/cdprg/projects/tb-control-in-myanmar-and-yunnan-china-programme-analysis/>

### **TB Treatment Delays in Odisha, India - Public -**

Apr 30, 2015 In India, the Revised National TB Control Programme (RNTCP) envisages D ( 2015) TB Treatment Delays in Odisha, India: Is It Expected Even after . In India after diagnosis, all patients report to their local area DOT Centers . by: The Union South-East Asia Regional Office, New Delhi, India, the Centre

<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0125465>

### **The U.S. Government and Global Tuberculosis | The -**

Mar 25, 2015 Still, as deadlines for reaching key global TB control goals draw near low- and middle-income countries, particularly in South-East Asia, Africa, Table 1: Tuberculosis (TB) Cases by Incidence, Prevalence, and Mortality by Region, 2013 The post-2015 global tuberculosis strategy (known as the End TB

<http://kff.org/global-health-policy/fact-sheet/the-u-s-government-and-global-tuberculosis/>

### **Health officials warn of poor tuberculosis -**

Southeast Asia has 28% of the world's MDR-TB cases, with India heading the list. A March report from the WHO South-East Asia Regional Office cautions that in the region still go undetected or are treated outside national health programs For example, India's revised national tuberculosis control program designed in

<http://www.nature.com/articles/nm0410-351a>

### **WHO Vacancy: Junior Public Health Professional -**

Aug 6, 2015 Vacancy Notice No: SE/RO/JPP/2015/07 at the WHO Regional Office for South- East Asia, the incumbent will undertake the following:.

<http://unjobs.org/vacancies/1438861871604>

### **Tuberculosis control in South-East Asia Region: -**

WHO South-East Asia J Public Health, Official publication of World Health Organization Regional Office for South-East Asia,India

<http://www.who->

[seajph.org/article.asp?issn=2224-3151;year=2013;volume=2;issue=1;spage=75;epage=76;aulast=](http://www.who-seajph.org/article.asp?issn=2224-3151;year=2013;volume=2;issue=1;spage=75;epage=76;aulast=)

### **Tuberculosis Control - World Health Organization, -**

Annual TB Report 2013. Tuberculosis Tuberculosis Control in the South-East Asia Region 2013 World Health Organization, Regional Office for South-East Asia. Nepal are planning to conduct national prevalence surveys by 2015 (for .

[http://www.searo.who.int/tb/annual\\_tb\\_report\\_2013.pdf](http://www.searo.who.int/tb/annual_tb_report_2013.pdf)

### **WHO IRIS: Tuberculosis control in the South-East -**

Abstract: National TB control programmes in all 11 Member States of the South-East Asia Region have made a substantial progress in implementing the components of the

<http://www.who.int/iris/handle/10665/154550>

### **Southeastern National Tuberculosis Center -**

and price increases in, TB drugs and Download the SNTC app through the cooperative agreement No. U52PS004089 Centers for Disease Control and

<http://sntc.medicine.ufl.edu/>

### **Tuberculosis in the WHO South- East Asia Region -**

One-third of the world's burden of tuberculosis (TB), or about 4.9 million prevalent cases which are to halve TB prevalence and mortality and reverse TB incidence by 2015. Tuberculosis control in the South-East Asia Region; the regional report. New Delhi: World Health Organization, Regional Office for South-East Asia.

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2828794/>

### **GLOBAL COALITION OF TB ACTIVISTS - News and Events -**

Report of national TB control programme managers and partners. 24 June 2015 Bangkok, Thailand The second of four regional consultations on the Global . The National Tuberculosis and Leprosy Control Programme (NTBLCP), after The South East Asia Regional meeting of the National TB Control Programme

<http://www.gctacommunity.org/index.php/newsandevents>

### **Pulmonary tuberculosis - a health problem amongst -**

pulmonary TB disease among the Saharia tribal community in Gwalior district of intensify TB control measures in this area. Indian J Med Res 141, May 2015, pp 630-635 cases in the South-East Asia region3. .. South-East asia Region: Annual TB Report 2013: New Delhi: Regional Office for South-East Asia; 2013.

<http://www.icmr.nic.in/ijmr/2015/may/0517.pdf>

### **Early Diagnosis and Treatment of Tuberculosis: -**

Mar 24, 2015 It is estimated that TB claims almost 300,000 lives per year in India [4]. Since January 2015, providers have started referring all patients for GeneXpert tests at a 3 World Health Organization Regional Office for South-East Asia. Tuberculosis control in the South-East Asia Region Annual TB Report 2014.

[http://cddep.org/blog/posts/early\\_diagnosis\\_and\\_treatment\\_tuberculosis\\_improving\\_care\\_india\\_throug](http://cddep.org/blog/posts/early_diagnosis_and_treatment_tuberculosis_improving_care_india_throug)  
[h\\_public\\_private](http://cddep.org/blog/posts/early_diagnosis_and_treatment_tuberculosis_improving_care_india_throug)

### **TB that occurred in Texas - Texas DSHS, TB -**

Aug 18, 2015 TB Statistics Jump to Data Files Requests TB Forms; TB Control Standards; Statistics; Presentations; Links; TB/HIV/STD and Viral Hepatitis Unit

<http://www.dshs.state.tx.us/idcu/disease/tb/statistics/>

### **Tuberculosis control in the South-East Asia -**

ReliefWeb is hiring! (2) Are you interested in working with ReliefWeb? We are looking for a Programme Management Officer (P3) to support boosting our product

<http://reliefweb.int/report/world/tuberculosis-control-south-east-asia-region-annual-report-2014>

### **Stop TB Partnership | National Partnership News -**

The Stop TB Partnership aims to 2nd Forum of National Stop TB Partnerships from the South-East The Vietnam National Strategy for Tuberculosis Control to 2020

<http://www.stop.tb.org/countries/partnerships/newsevents.asp>

### **Tuberculosis Control in the South-East Asia -**

Related posts: Tuberculosis control in the South-East Asia Region ; WHO South-East Asia Journal of Public Health: Special Issue on Universal Health Coverage in the

<http://hesp-news.org/2015/05/26/tuberculosis-control-in-the-south-east-asia-region-annual-report-2015/>

### **Tuberculosis Control in South-East Asia and -**

Summary. This publication is the first combined biregional report on tuberculosis control in the South-East Asia and the Western Pacific Regions.

[http://www.wpro.who.int/publications/PUB\\_9290611960/en/](http://www.wpro.who.int/publications/PUB_9290611960/en/)

### **Malaria and tuberculosis - Statistical Yearbook -**

The loss of its efficacy owing to resistance would present an enormous challenge to malaria control and elimination locally and TB was most prevalent in South

<http://www.unescap.org/stat/data/syb2011/I-People/Malaria-and-tuberculosis.asp>

### **Tuberculosis control - World Health Organization, -**

Health Organization, Regional Office for South- East Asia, Indraprastha Estate, Tuberculosis control in the South-East Asia Region: annual report 2015. 1. .. WHO has released its post-2015 Global TB Strategy called End TB Strategy .

<http://www.searo.who.int/tb/annual-tb-report-2015.pdf>

### **Revised National Tuberculosis Control Program: -**

Dec 10, 2013 India initiated National Tuberculosis Control Program (NTCP) in 1962. (MDG) and target to be achieved by 2015 and the Stop TB Partnership targets WHO South East Asia Regional Office (SEARO) New Delhi, Ministry of Health . Annual risk of tuberculosis infection (ARTI) of 1% is presumed to reflect

<http://www.mjdrdypu.org/article.asp?issn=0975-2870;year=2014;volume=7;issue=1;spage=5;epage=12;aulast=Khedkar>

### **TB Control in the South-East Asia Region -**

Report of the Meeting of National TB Programme Managers Page 2 2. INAUGURAL SESSION The meeting was inaugurated by His Excellency Dr Kandun Neoman, Special

[http://apps.searo.who.int/pds\\_docs/B3685.pdf](http://apps.searo.who.int/pds_docs/B3685.pdf)

### **Tuberculosis Control in Queensland -**

Brisbane & South-East Queensland. Metro South Clinical Tuberculosis Service provides TB Control services to the following Hospital & Health Services (HHS) and facilities:

<https://www.health.qld.gov.au/chrisp/tuberculosis/contact-specialist.asp>

### **Tuberculosis in the WHO South-East Asia Region -**

the scope of TB control activities has expanded beyond the capacity of national TB programmes  
Tuberculosis control in the South-East Asia Region; the

<http://www.who.int/bulletin/volumes/88/3/09-073874/en/>

### **Tuberculosis Control in the South -East Asia -**

Tuberculosis Control in the South -East Asia Many of the constraints to effective implementation of TB control services in Member States relate to underlying

[http://www.searo.who.int/entity/tb/documents/sea\\_tb\\_338/en/](http://www.searo.who.int/entity/tb/documents/sea_tb_338/en/)

### **Says WHO: India has highest number of -**

India has highest number of multidrug-resistant TB in South East The report Tuberculosis Control in the South East Asia Region 2012, says that

<http://www.thehindu.com/news/national/says-who-india-has-highest-number-of-multidrugresistant-tb-in-south-east-asia/article3156259.ece>